

PROGEF Standard bend 90° S8.3/SDR17.6 (PN6)

Model:

- Material: PP-H
- Conventional butt-welding according to DVS 2207
- IR = Infrared welding compatible


* Material:PP-R



1



2



Version	d (mm)	PN (bar)	SDR	FM	Code	Weight (kg)	L (mm)	L1 (mm)	R (mm)	e (mm)
1	50	6	17.6	IR	727 018 635	0.050	58	21	37.00	3.0
1	63	6	17.6	IR	727 018 636	0.081	66	21	45.00	3.8
2	75	6	17.6	IR	727 018 412	0.128	75	21	71.25	4.8
2	90	6	17.6	IR	727 018 413	0.222	90	22	85.50	5.7
2	110	6	17.6	IR	727 018 414	0.396	110	25	104.50	6.9
2	125	6	17.6	IR	727 018 415	0.556	125	28	116.00	7.8
2	140	6	17.6	IR	727 018 416	0.785	140	33	131.00	8.7
2	160	6	17.6	IR	727 018 417	1.156	160	33	151.00	9.9
2	180	6	17.6	IR	727 018 418	1.619	180	33	171.00	11.1
2	200	6	17.6	IR	727 018 419	2.208	200	33	190.00	12.4
2	225	6	17.6	IR	727 018 420	3.039	220	33	210.00	13.9
1	250	6	17.6	IR	727 018 421	4.359	256	48	232.00	15.4
1	280	6	17.6	IR	727 018 422	6.696	286	48	262.00	17.2
1	315	6	17.6	IR	727 018 423	8.580	321	48	297.00	19.3
*	2	355	6	17.6	727 018 424	11.640	345	70	330.00	21.2
*	2	400	6	17.6	727 018 425	15.200	365	70	350.00	23.9
*	2	450	6	17.6	727 018 426	22.240	425	70	400.00	26.9
*	2	500	6	17.6	727 018 427	31.020	470	90	445.00	29.8

The technical data are not binding. They neither constitute expressly warranted characteristics nor guaranteed properties nor a guaranteed durability. They are subject to modification. Our General Terms of Sale apply.

Georg Fischer Piping Systems Ltd, Postfach, CH-8201 Schaffhausen/Switzerland

Phone +41 -(0)52-631 1111

e-mail: info.ps@georgfischer.com

Internet: <http://www.gfps.com>